

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Algizid Aquastab

Material number LZB x29 Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Algizid Aquastab

This safety data sheet pertains to the following products:

LZB 129: 5 L LZB 429: 1 L LZB 929: 100 ml

UFI: 7030-V0WY-Y000-Y1SE

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Biocide concentrate for algae control in water baths

Industrial use

Professional uses / Public domain

1.3 Details of the supplier of the safety data sheet

Company name: Lauda Dr. R. Wobser GmbH & Co. KG

Street/POB-No.: Laudaplatz 1

Postal Code, city: DE-97922 Lauda-Königshofen

 www:
 www.lauda.de

 E-mail:
 info@lauda.de

 Telephone:
 +49 (0)9343-503-0

 Telefax:
 +49 (0)9343-503-222

Department responsible for information:

Department Quality Management,

Telephone: +49 9343 503-331, e-mail info@lauda.de

1.4 Emergency telephone number

National Poisons Information Service (Birmingham Unit)

Telephone: 844 892 0111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 3; H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (CLP)

Hazard statements: H412 Harmful to aquatic life with long lasting effects.

Precautionary statements: P273 Avoid release to the environment.

P501 Dispose of contents/container to hazardous or special waste collection point.

Revision date: 9/1/2023

Date of print: 20/3/2023

6.0

en-GB

Version:

Language:

Replaces version:



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 20/3/2023

Algizid Aquastab

Material number LZB x29 Page: 2 of:

Special labelling

Text for labelling: Contains N,N-Dimethyl-2-hydroxypropylammoniumchloride polymer.

Biocide, active substance: 2 g/100 g

Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals

Product-type 11: Preservatives for liquid-cooling and processing systems
Use biocides safely. Always read the label and product information before use.

2.3 Other hazards

Can cause skin, eye and respiratory tract irritation.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

The product does not contain any as PBT or vPvB classified substances.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Algicide, aqueous solution

Hazardous ingredients:

Identifiers	Designation Classification	Content
list no. 607-843-9	N,N-Dimethyl-2-hydroxypropylammoniumchloride polymer	< 2.5 %
CAS 25988-97-0	Acute Tox. 4; H302. Aquatic Acute 1; H400. Aquatic Chronic 1; H410.	

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand.

In case of inhalation: Provide fresh air. If unconscious place in recovery position and seek medical advice.

Following skin contact: Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case

of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove

contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an

ophthalmologist.

After swallowing: Rinse mouth. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek

medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation: May cause irritations. Cough, wheezing.

In case of ingestion: May cause irritations. May be harmful if swallowed.

After contact with skin: May cause irritations. After eye contact: May cause irritations.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Rinse immediately carefully and thoroughly with eye-bath or water.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Algizid Aquastab

Material number LZB x29 Page: 3 of

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Extinguishing is to be in accordance with the surrounding fire.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours.

In the event of a fire, the following may be produced when the water evaporates: Hydrogen chloride,

nitrogen oxides (NOx), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus. Wear appropriate protective equipment.

Additional information: Hazchem-Code: -

Contaminated fire-fighting water must be collected separately.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe vapour/aerosol.

Keep unprotected people away. Avoid contact with skin, eyes, and clothing. Wear appropriate protective

equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains. If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder. Store in special

closed containers and dispose of according to ordinance. Final cleaning.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provid

Provide adequate ventilation, and local exhaust as needed. Avoid the formation of aerosol.

Avoid contact with skin, eyes, and clothing. When using do not eat, drink or smoke. Take off contaminated clothing and wash it before reuse. Do not breathe vapour/aerosol. Have eye wash bottle or eye rinse ready at work place.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place. Store only in original container. Protect

from frost.

Revision date: 9/1/2023

Date of print: 20/3/2023

6.0

en-GB

Version:

Language:

Replaces version:



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 20/3/2023

Algizid Aquastab

Material number LZB x29 Page: 4 of

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Vapours/aerosols should be exhausted directly at the point of origin.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Use a breathing protection against vapours/aerosol.

Use filter type A-P2 according to EN 14387.

Have a breathing apparatus that is not dependent on the circulating air ready for emergencies.

Hand protection: Protective gloves according to EN 374.

Glove material: butyl caoutchouc (butyl rubber), nitrile rubber or rubber

 $Observe\ glove\ manufacturer's\ instructions\ concerning\ penetrability\ and\ breakthrough\ time.$

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

 $\label{thm:continuous} \mbox{General protection and hygiene measures:}$

Do not breathe vapour/aerosol. When using do not eat, drink or smoke. Wash hands before breaks and after work. Have eye wash bottle or eye rinse ready at work place. Take off contaminated clothing and

wash it before reuse.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Colour: colourless

colourless

Odour: odourless
Odour threshold: No data available

pH: at 20 °C: 6 - 8 Melting point/freezing point: approx. 0 °C Initial boiling point and boiling range: approx. 100 °C Flash point/flash point range: > 93 °C

Evaporation rate: No data available
Flammability: No data available

Explosion limits: LEL (Lower Explosion Limit): not determined

UEL (Upper Explosive Limit): not determined



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 20/3/2023

Algizid Aquastab

Material number LZB x29 Page: 5 of 8

not determined Vapour pressure: Vapour density: No data available Density: at 20 °C: approx. 1 g/mL Water solubility: completely miscible not determined Partition coefficient: n-octanol/water: Auto-ignition temperature: No data available No data available Decomposition temperature: No data available Viscosity, kinematic: Explosive properties: No data available Oxidizing characteristics: not oxidising

9.2 Other information

Ignition temperature: not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

refer to 10.3

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat. Protect from direct sunlight. Protect from frost.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 20/3/2023

Algizid Aquastab

Material number LZB x29 Page: 6 o

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is

available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information: Information about N,N-Dimethyl-2-hydroxypropylammoniumchloride polymer:

LD50 Rat, oral: 1,672 mg/kg

Symptoms

In case of inhalation: May cause irritations. Cough, wheezing.

In case of ingestion: May cause irritations. May be harmful if swallowed.

After contact with skin: May cause irritations. After eye contact: May cause irritations.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

not determined

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The product does not contain any as PBT or vPvB classified substances.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 20/3/2023

Algizid Aquastab

Material number LZB x29 Page: 7 of:

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 20 01 29* = Detergents containing hazardous substances.

* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

Additional information

Avoid release to the environment.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

 ${\tt ADR/RID,\,IMDG,\,IATA-DGR:} \qquad \quad not \ applicable$

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Revision date: 9/1/2023
Version: 7.0
Replaces version: 6.0
Language: en-GB
Date of print: 20/3/2023

Algizid Aquastab

Material number LZB x29 Page: 8 of:

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects. H412 = Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms: Acute Tox.: Acute toxicity

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Aquatic Acute: Hazardous to the aquatic environment - acute Aquatic Chronic: Hazardous to the aquatic environment - chronic

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community

EN: European Standard EQ: Excepted quantities

IATA: International Air Transport Association

IATA-DGR: Interna@nal Air Transport Associa@n – Dangerous Goods Regula@ns

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LD50: Lethal dose 50%

LEL: Lower Explosion Limit

 ${\sf MARPOL: Maritime\ Pollution: The\ International\ Convention\ for\ the\ Prevention\ of\ Pollution\ from\ Ships}$

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Reason of change: General revision
Date of first version: 11/3/2014

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.